TRADITIONAL AWNING SYSTEMS





COVERED | ALFRESCO DROPS

The Alfresco Gearbox Straight Drops are the perfect blend between sleek style and simple functionality, able to make as narrow as 100mm and 700mm (if motorised), these awnings can be made up to 6000mm if required in one span. Using high grade steel top tube we eliminate top tube sag up to 4000 guaranteed.

Our custom design (Australian Made) bottom rail in seven standard colours allows for vast functionality with over seven different fixing options as the design even caters for a sleek valance to cover any unwanted gaps.

These awnings can also be motorised allowing for simple use with the touch of a button. We offer a range of motors to cater for all budgets adding a head box to the system means no more bird mess when rolled away and helps protect your awning when exposed to the elements.

The versatility of this system lends itself to be made in a larger range of materials - mesh for the summer when the sun/wind is an issue but you still want the view.

PVC when keeping the rain out and heat in over those winter months.

Acrylic allows the light to filter in but gives you the privacy you require and lastly, Canvas can be used when you want that wall that isn't a wall.

Simple, function and versatility. Is it any wonder this awning is our top seller?



AESTHETIC FEATURES

- Perfect blend between style and functionality.
- Custom designed (Australian-made) bottom rail in 7 standard colours
- German gearboxes for ease of use
- Removable crank handle means this child friendly (no cords or chains)
- Can be motorised for easy use at a touch of a button
- Optional headbox protects your fabric when rolled away

ASSEMBLY/INSTALLATION BENEFITS

- Span can vary from 500mm to 6000mm
- Universal bracket for Top or Face fix applications.
- Huge selection of fixing options bottom fittings

FUNCTIONAL BENEFITS

- External grade stainless steel and zinc-plated hardware.
- Upgrade top tube options available for wider spans
- Huge range of fabric types including, mesh, acrylic and PVC
- Custom powder coating available upon request.



this awning is fundamentally identical except for Stainless steel wires down each side and using 316 marine grade stainless steel brackets. The wires are used to keep the bottom rail in a safe, stable position when winding the awning up and down and the system can be used just as is. Strapping the system down is however recommended as strong winds can still blow the awning up and down with or without these wires. Motorisation is possible with this system.



OUR ICONS



5 YEAR WARRANTY



QUALITY APPROVED



VOICE CONTROL



Optional Valanc

CUSTOM



HOME AUTOMATION



ENERGY EFFICIENT



INSECT RESISTANT



SUN/UV PROTECTION



BUILT EXTENSIVE TOUGH FABRICS



WATER RESISTANT



BREATHABLE FABRIC



ANTI GLARF



HUGE COLOUR RANGE



WIND RATING
(upto 50kms)



COASTAL



TAL CUSTOM OVED MANUFACTURING



One of the original and the best awnings on the market developed decades ago but still highly relevant today. This awning has truly stood the test of time remaining simple, strong and functional. The ATR awning is one of the few systems that can be safely left out in nearly all weather conditions.

The simple twist and lift mechanism allows for quick setting of desired positions anywhere along the guide rods and once the desired location is reached the ATR will pretty well stay put. When high winds are experienced the "Automatic Top Roll" awning will potentially roll itself away keeping it from any damage. With arms set off the walls the ATR allows for generous flow of air into open windows and prevents heat from being trapped between your material and your home.

A spring loaded top roller keeps the awning under top awning under constant tension and helps maintain a taught, neat look for your material over its lifetime. When not in use your awning can be rolled away and left under the protection of the colorbond head-box, keeping the material safe from the sun and rain.



AESTHETIC FEATURES

- Can be left out in almost any weather
- Rolls itself away when strong winds hit
- Side Guides and Arms available in Zinc, Gold, Stainless Steel finishes

raise and lower your awning.

- Strongly build
- Relatively fault free over it's lifetime
- Optional headbox protects your fabric when rolled away

ASSEMBLY/INSTALLATION BENEFITS

- Span can vary from 900mm (0.9m) to 4200mm (4.2m)
- Universal bracket for Top or Face fix applications
- Arm sizes range from; 150mm to 900mm

FUNCTIONAL BENEFITS

- External grade stainless steel and zinc-plated hardware
- Allows generous air flow into open windows
- Huge range of fabric types including, mesh, acrylic and canvas
- Custom powder coating available upon request



COVERED IS A PRODUCT RANGE OF SHADE SOLUTIONS

The COVERED range have been forged through a strict criteria utilising over 25 years industry experience choosing only the best products and materials to meet the highest quality standards. You can rest assured the entire **COVERED** range of products have been hand selected for QUALITY, RELIABILITY and DURABILITY.

"THE COVERED GROUP HAVEN'T SETTLED ON QUALITY OR MATERIALS...SO NEITHER SHOULD YOU"


TRADITIONAL . AUTOMATICS . CONVERTIBLE . SHOPFRONT

ADDITIONAL • RECOVERS • CANOPIES • REWORKS



COVERED | **PIVOT ARM AWNINGS**

The Covered Pivot Arm Awnings offer great functionality for sun control, privacy and view through whilst allowing airflow behind the product. Available in a range of control options including: internal & external operation, manual crank, internal & external winch operation and motorisation that make this product ideal for second story windows and other areas of the home where external manual operation is difficult. North facing applications are ideal when the pivot arm is half way out you get full protection while letting a breeze in.



PIVOT ARM FEATURES

- Available from 900mm (0.9m) to 4200mm (4.2m) spans
- Perfect for 2 Storey Applications
- Control Options; Winch, Cord, Tape, Internal, External, Gearbox and Motorised
- Choice of Hoods available

ROBUSTA FEATURES

- Available from 750mm (0.75m) to 6000mm (6.0m) spans
- Perfect for Shopfronts, Pool Areas, 2 Storey Applications & Windy Areas
- Control Options; Gearbox and Motorised

YOUR NEAREST COVERED RETAILER

